







[USPTO PATENT FULL-TEXT AND IMAGE DATABASE](#)[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching US Patent Collection...

Results of Search in US Patent Collection db for:**AN/"Hach Company": 180 patents.****Hits 1 through 50 out of 180**[Next 50 Hits](#)[Jump To](#) [Refine Search](#)

PAT. NO.	Title
1	11,268,943  Dissolved oxygen measurement
2	11,231,390  Chlorine, oxidation--reduction potential (ORP), and pH measurement probe
3	11,231,368  Ultra low range sulfite measurement
4	D941,336  Display screen with graphical user interface
5	D941,335  Display screen with graphical user interface
6	D936,086  Display screen with graphical user interface
7	D936,085  Display screen with graphical user interface
8	D936,084  Display screen with graphical user interface
9	D936,083  Display screen with graphical user interface
10	11,169,112  pH measurement of an aqueous sample
11	11,093,777  Optical character recognition (OCR) and coded data for legacy instrument data transfer
12	11,035,798  Fluorescent measurement of filming amines
13	11,029,280  Alkalinity sensor
14	10,890,574  Digestion of lead(0) and subsequent colorimetric detection of lead(II).
15	10,823,672  Turbidimeter
16	10,801,990  Alkalinity measurement of an aqueous sample
17	10,794,883  Colorimetric detection of aluminum in an aqueous sample
18	10,794,882  Aqueous colorimetric fluoride detection
19	10,724,984  SP3 substituted carbon electrode TOC analysis using metallic catalyst
20	10,718,861  Frequency profiles for non-contact range measurement with multi-scale analysis
21	10,670,573  Chloride measurement using non-harsh reagents
22	10,634,656  Storage stable standards for aqueous chlorine analysis
23	10,591,455  Mobile water analysis
24	10,571,315  Single-beam radar level and velocity sensing
25	10,539,529  Determination of analytes using electrochemically active indicator species as reactants
26	10,527,599  Method and kit for determining if a shock treatment is necessary for a water source
27	10,520,433  Turbidimeter

- 28 [10,408,648](#)  [Flow meter with adaptable beam characteristics](#)
- 29 [10,317,386](#)  [Determination of aqueous nitrate concentration](#)
- 30 [10,309,948](#)  [Carbon quantifying apparatus and method](#)
- 31 [10,309,808](#)  [Fluid quantification instrument and method](#)
- 32 [10,302,552](#)  [Apparatus, composition and method for determination of chemical oxidation demand](#)
- 33 [10,295,385](#)  [Flow meter with adaptable beam characteristics](#)
- 34 [10,281,393](#)  [Turbidimeter](#)
- 35 [10,247,635](#)  [Online chlorine analyzer](#)
- 36 [10,215,745](#)  [Mobile water analysis](#)
- 37 [10,203,316](#)  [Colorimetric determination of aqueous nitrate concentration](#)
- 38 [10,203,231](#)  [Sonde](#)
- 39 [10,175,163](#)  [Aqueous sample fluid measurement and analysis](#)
- 40 [10,126,246](#)  [Lab-on-a-chip for alkalinity analysis](#)
- 41 [10,006,863](#)  [Adjustment of measurement system components](#)
- 42 [10,006,853](#)  [Vial and cap for turbidity standard](#)
- 43 [9,927,268](#)  [Oxidation/reduction measurement](#)
- 44 [D806,826](#)  [Wall mountable remote indicator for a water system](#)
- 45 [9,791,430](#)  [Measurement of total organic carbon](#)
- 46 [9,746,012](#)  [Self-centering vial clamp](#)
- 47 [9,719,914](#)  [Mobile water analysis](#)
- 48 [9,625,434](#)  [Dripless, permanent sealing assembly for container](#)
- 49 [9,625,295](#)  [Doppler measurement instrument and doppler measurement processing method](#)
- 50 [9,618,495](#)  [Carbon quantifying apparatus and method](#)
-

